




## Flexibility LED Light Series



# Non-Waterproof Flexible Strip

### Part NO.: ALEDT335-96

♦Make use of small SMD LEDs
♦Excellent flexibility
♦Non-Waterproof, ideal for tiny space





## Application:


- Indoor channel letters, plane letters
- Indoor plane lamp houses
- Indoor advertising signs
- Indoor architectural decoration light source
- Big backlighting panels
- Other lighting projects



### Features:

- Only 1.5mm height and 5mm width
- Use 4008 (4.0mm\*0.8mm\*1.4mm)SMD LEDs
- Low power consumption
- Fixing current is more stable, 12DC input
- Available in white (2500K-30000K), red, yellow, blue and green and RGB, etc
- 3M self-adhesive film in the back, easy to install.
- Excellent flexible feature can be bent more than 160 degrees.
- Can be cut every 3 LEDs
- Standard length:5m/reel or 10m/reel
- The length and LED quantity can be cutomized


#### Connection With Power Supply:



#### **Technical Parameter:** (TA=25℃)

Part No.	Color	Operating Voltage ( v )	Current	Wattage	Peak WaveLength (nm)	View Angle	Luminous ( Im )		LED Qty	Space between
							min	max	(pcs)	each LED(mm)
ALEDT335-96R	Red	12	≤640	≤7.7	625-630	130°	38.4	47	60	10.4
ALEDT335-96Y	Yellow	12	≤640	≤7.7	590-595	130°	38.4	47	60	10.4
ALEDT335-96DL	🗆 White	12	≤640	≤7.7	2500-30000	130°	88	96	60	10.4
ALEDT335-96G	Green	12	≤640	≤7.7	510-520	130°	75	64	60	10.4
ALEDT335-96B	Blue	12	≤640	≤7.7	470-475	130°	28.8	38.4	60	10.4

## Structure Dimensions:



Notes: 1. All dimension units are millimeters.

2.All dimension tolerance is  $\pm 1$ mm unless otherwise noted

## Installation Instruction:



Reverse illuminating letter/ halo sign. The depth of the letter should be less than 60mm; Recommended length for series connection is not more than 5m; Parallel connection recommended between several strips





Double sides illuminating letter. The depth of the letter should be less than 60mm; Recommended length for series connection is not more than 5m; Parallel connection recommended between several strips



### Packing:



Quantity:5m/roll Size:24×21.5 (cm)



#### AUSLED PTY LTD

Add:Factory 2, 149 Northern road Heidelberg Heights VIC 3081 AUSTRALIA PH:+613 9458 3357 FX:+613 9455 3144 Skype:simon.dymond24 Email:sales@ausled.com.au Web:www.ausled.com.au